



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/707,846 01/16/		01/16/2004	Vic Lugo		1845
38494	7590	08/26/2005		EXAM	INER
VICTOR L	UGO		NGUYEN, JOHN QUOC		
11896 SNO	W HAWK			_	
EL PASO, TX 79936				ART UNIT	PAPER NUMBER
,				3654	

DATE MAILED: 08/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

. 0							
	Application No.	Applicant(s)					
	10/707,846	LUGO, VIC					
Office Action Summary	Examiner	' Art Unit					
	John Q. Nguyen	3654					
The MAILING DATE of this communication apperent of the Period for Reply	ears on the cover sheet w	vith the correspondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a within the statutory minimum of thi ill apply and will expire StX (6) MO cause the application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on	_•						
2a) ☐ This action is FINAL . 2b) ☑ This							
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) 1 is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6) Claim(s) <u>1</u> is/are rejected.							
7) Claim(s) is/are objected to.		•					
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers		•					
9) The specification is objected to by the Examiner	ĵ.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Example 11.	aminer. Note the attache	ed Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C.	§ 119(a)-(d) or (f).					
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau	•	4					
* See the attached detailed Office action for a list of the certified copies not received.							
•	•						
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview	Summary (PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date Notice of Informal Patent Application (PTO-152)							
Paper No(s)/Mail Date	6) Other:						
.S. Patent and Trademark Office							

Application/Control Number: 10/707,846

Art Unit: 3654

The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because: It was not executed in accordance with either 37 CFR 1.66 or 1.68.

The disclosure is objected to because of the following informalities: numeral 27 is used for 2 different elements. Reference numeral 15 is not described. Appropriate correction is required.

Claim 1 is rejected as failing to define the invention in the manner required by 35 U.S.C. 112, second paragraph.

The claim(s) are narrative in form and replete with indefinite and functional or operational language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to present a complete operative device. The claim(s) must be in one sentence form only. Note the format of the claims in the patent(s) cited.

It appears that there is only 1 claim and the following rejection is based on claim 1 as best understood by the examiner.

Art Unit: 3654

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brown (US-3421800) in view of Cravatt (US-6161794).

Brown discloses a toilet paper dispenser having substantially all the claimed features. What is not disclosed is for the apparatus to fit in a cavity in a wall. Cravatt discloses another similar apparatus which is fitted into a wall cavity as is old and well known in the art. Note the flange 46. It would have been obvious to a person having ordinary skill in the art to provide the apparatus of Brown fitted into a wall cavity as taught by Cravatt to reduce space requirement and for aesthetic purposes. That the flange is adjustable would have been obvious to a person having ordinary skill in the art to provide for adjustability for fitting in different wall configurations. Nuts and bolts are old and well-known devices for attachment purposes and the use of nuts and bolts for attaching the flange would have been obvious to a person having ordinary skill in the art.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Lucan (US-2564539) is cited to show another similar apparatus.

Art Unit: 3654

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Q. Nguyen whose telephone number is (571) 272-6952. The examiner can normally be reached on Monday, Tuesday, Thursday, and Friday, from 7:00 AM to 4:30 PM. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Katherine Matecki, can be reached on (571) 272-6951. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

John Q. Nguyen Primary Examiner Art Unit 3654